## Amendment to the Claims

1 (Currently Amended ). A provisioning system for supporting presence applications, comprising:

an ontology depository having at least one domain-specific ontology model <u>accessible via</u> the <u>Internet</u> for a particular presence application; and

a presence entity having a structure operable to reference a domain-specific ontology model of said ontology depository via the Internet for customizing a presence client software module associated with said presence entity, whereby said presence entity becomes operable to engage in a particular presence application relating to said domain-specific ontology model.

2 (Original). The provisioning system for supporting presence applications as recited in claim 1, wherein said at least one domain-specific ontology model for a particular presence application comprises a Unified Markup Language (UML)-based data model.

3 (Original). The provisioning system for supporting presence applications as recited in claim 1, wherein said at least one domain-specific ontology model for a particular presence application comprises an Extended Markup Language (XML)-based data model.

4 (Original). The provisioning system for supporting presence applications as recited in claim 1, wherein said at least one domain-specific ontology model for a particular presence application comprises a semantic net data model.

5 (Original). The provisioning system for supporting presence applications as recited in claim 1, wherein said at least one domain-specific ontology model for a particular presence application comprises a General Markup Language (GML)-based data model.

6 (Original). The provisioning system for supporting presence applications as recited in claim 1, wherein said at least one domain-specific ontology model for a particular presence application comprises a data model based on a semantic software application selected from the group consisting of a Resource Description Framework (RDF) application, an Ontology Inference Layer (OIL) application, an Ontology Web Language (OWL) application, a Semantic

Web Initiative (SWI)-compliant application, and a Meta Object Framework (MOF) application.

7 (Original). The provisioning system for supporting presence applications as recited in claim 1, wherein said structure operable to reference a domain-specific ontology model

comprises a presence client software module operable to invoke a Universal Resource Locator (URL) path associated with said ontology depository including said domain-specific ontology

model.

8 (Original). The provisioning system for supporting presence applications as recited in

claim 1, wherein said structure associated with said presence entity is operable to dynamically

reference a domain-specific ontology model of said ontology depository.

9 (Original). The provisioning system for supporting presence applications as recited in

claim 1, wherein said structure associated with said presence entity is operable to effectuate a

static reference to a domain-specific ontology model during said structure's compile time.

10 (Original). The provisioning system for supporting presence applications as recited in

claim 1, wherein said particular presence application is selected from the group consisting of transportation applications, shipping and delivery applications, premises security monitoring

applications, private enterprise applications, government agency applications, and instant

messaging applications.

11 (Currently Amended). A service provisioning methodology for supporting presence applications, comprising:

providing an ontology depository having at least one domain-specific ontology model accessible via the Internet for a particular presence application; and

customizing a presence client software module associated with a presence entity by referencing a domain-specific ontology model of said ontology depository <u>via the Internet</u>, whereby said presence entity becomes operable to engage in a particular presence application relating to said domain-specific ontology model.

12 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said at least one domain-specific ontology model for a particular presence application comprises a Unified Markup Language (UML)-based data model

13 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said at least one domain-specific ontology model for a particular presence application comprises an Extended Markup Language (XML)-based data model.

14 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said at least one domain-specific ontology model for a particular presence application comprises a semantic net data model.

15 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said at least one domain-specific ontology model for a particular presence application comprises a General Markup Language (GML)-based data model

16 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said at least one domain-specific ontology model for a particular presence application comprises a data model based on a semantic software application selected from the group consisting of a Resource Description Framework (RDF) application, an Ontology Inference Layer (OIL) application, an Ontology Web Language (OWL) application, a Semantic Web Initiative (SWI)-compliant application, and a Meta Object Framework (MOF) application.

17 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said customizing a presence client software module associated with a presence entity is effectuated by invoking a Universal Resource Locator (URL) path associated with said ontology depository including said domain-specific ontology model.

18 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said customizing a presence client software module associated with a presence entity is effectuated by dynamically referencing a domain-specific ontology model of said ontology depository.

19 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said customizing a presence client software module associated with a presence entity is effectuated by a static reference to a domain-specific ontology model during said presence client software module's compile time.

20 (Original). The service provisioning methodology for supporting presence applications as recited in claim 11, wherein said particular presence application is selected from the group consisting of transportation applications, shipping and delivery applications, premises security monitoring applications, private enterprise applications, government agency applications, and instant messaging applications.

21 (Currently Amended). A system for provisioning presence applications over a presence service network, comprising:

means operable to host an ontology depository <u>accessible via the Internet</u> that includes a domain-specific ontology model corresponding to each of a plurality of presence applications; and

means for customizing a presence client software module associated with a presence entity with a particular presence application accessed from the ontology model via the Internet.

22 (Original). The system for provisioning presence applications over a presence service network as recited in claim 21, wherein said domain-specific ontology model comprises a Unified Markup Language (UML)-based data model.

23 (Original). The system for provisioning presence applications over a presence service network as recited in claim 21, wherein said domain-specific ontology model comprises an Extended Markup Language (XML)-based data model.

24 (Original). The system for provisioning presence applications over a presence service network as recited in claim 21, wherein said domain-specific ontology model comprises a

semantic net data model.

25 (Original). The system for provisioning presence applications over a presence service

network as recited in claim 21, wherein said domain-specific ontology model for a particular

presence application comprises a General Markup Language (GML)-based data model.

26 (Original). The system for provisioning presence applications over a presence service

network as recited in claim 21, wherein said domain-specific ontology model comprises a data

model based on a semantic software application selected from the group consisting of a Resource Description Framework (RDF) application, an Ontology Inference Layer (OIL) application, an

Ontology Web Language (OWL) application, a Semantic Web Initiative (SWI)-compliant

application, and a Meta Object Framework (MOF) application.

27 (Original). The system for provisioning presence applications over a presence service

network as recited in claim 21, wherein said means for customizing a presence client software module associated with a presence entity comprises means for referencing a domain-specific

ontology model for a particular presence application using a Universal Resource Locator (URL)

path associated with said ontology depository.

path associated with said offology depository

28 (Original). The system for provisioning presence applications over a presence service

network as recited in claim 21, wherein said means for customizing a presence client software module associated with a presence entity is operable to dynamically reference a domain-specific

ontology model of said ontology depository.

moregy means or same emoregy and person

139173 - Page 7

29 (Original). The system for provisioning presence applications over a presence service network as recited in claim 21, wherein said means for customizing a presence client software module associated with a presence entity is operable to effectuate a static reference to a domain-specific ontology model during said presence client software module's compile time.

30 (Original). The system for provisioning presence applications over a presence service network as recited in claim 21, wherein said particular presence application is selected from the group consisting of transportation applications, shipping and delivery applications, premises security monitoring applications, private enterprise applications, government agency applications, and instant messaging applications.